ANNUAL FISH PASSAGE REPORT ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON 1960



UNITED STATES DEPARTMENT OF THE INTERIOR



UNITED STATES DEPARTMENT OF THE INTERIOR, STEWART L. UDALL, SECRETARY Fish and Wildlife Service, Clarence F. Pautzke, Commissioner Bureau of Commercial Fisheries, Donald L. McKernan, Director

ANNUAL FISH PASSAGE REPORT - ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON, 1960

by

Paul D. Zimmer and Clifton C. Davidson



United States Fish and Wildlife Service Special Scientific Report--Fisheries No. 419


> Washington, D. C. April 1962

IN MEMORIAM

This annual report of fishway operations at Rock Island Dam in 1960 is dedicated to the memory of co-author Clifton C. Davidson, fishway superintendent. Mr. Davidson, by his lifelong devotion to duty and wholehearted cooperative spirit, was an inspiration to all his associates.

CONTENTS

	Page
Introduction	I
Counting procedures	I
Enumeration of fish	2
Chinook salmon, Oncorhynchus tshawytscha	2
Chinook salmon jacks	2
Sockeye salmon, Oncorhynchus nerka (blueback or red)	2
Coho salmon, Oncorhynchus kisutch (silver)	2
Steelhead trout, Salmon gairdneri	2
Miscellaneous fish	3
Weather and river discharge data	3
Activities and observations	3
Summary	4



Rock Island Dam, Columbia River, Washington

ANNUAL FISH PASSAGE REPORT - ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON, 1960

by

Paul D. Zimmer, Clifton C. Davidson Fishery Biologists (Management)

ABSTRACT

Important runs of salmon and steelhead trout pass Rock Island Dam on the Columbia River. Annual records of fish movement past the dam are available from 1933.

Count of 26,550 chinook salmon in 1960 is slightly more than half the peak year of 1957. Sockeye salmon count of 60,341 exceeded the 27-year mean of 52,823. Only 94 coho salmon were recorded. Greatest count of coho salmon, 229, occurred in 1947. Numbers of steelhead trout passing Rock Island Dam increased in 1960. The 27-year mean of 2,946 steelhead trout was less than the 1960 count of 6,226. Approximately 150,660 fish other than salmon and steelhead trout passed Rock Island Dam in 1960.

INTRODUCTION

Rock Island Dam, located on the Columbia River approximately 12 miles downstream from the city of Wenatchee, Wash., has been in operation since 1933. The plant is owned and operated by Chelan County Public Utility District No. 1.

This report on passage of fish at Rock Island Dam during 1960 provides information on operation of fishways and numbers of fish utilizing upstream fish passage facilities.

Rock Island Dam is equipped with three fishways: one located on the right bank,

Note.--Paul D. Zimmer and Clifton C. Davidson (deceased), Bureau of Commercial Fisheries Columbia Fisheries Program Office, U.S. Fish and Wildlife Service, Portland, Ore.

another on the left bank, and a third approximately in the center of the dam.

Biological data secured at Rock Island Dam are useful in management of the Columbia River fishery resource and in planning fish facilities at other dams.

COUNTING PROCEDURES

Counting of fish at Rock Island Dam in 1960 began on May 2 and ended October 29. Counting was conducted on a full-time basis throughout each day's period of daylight. During the period May 2 to September 15 counts were made 16 hours each day; September 16-30, 12; and October 1-29, 8 hours at right and middle ladders and 12 hours at left bank fishway. A 15-minute rest period was allowed each hour. During periods of noncounting the three fishways were closed to upstream movement of fish.

ENUMERATION OF FISH

Chinook Salmon, Oncorhynchus tshawytscha

The chinook salmon count in 1960 of 26,550 is well above the mean of 15,153 for the 27-year period, 1933-59. The count increased from that of 1959 (Zimmer, Davidson, and Anders¹), and was slightly more than half the annual fish count of 50,713 in 1957 (table 1). Monthly totals of chinook salmon counted are given in table 2. Maximum day¹s count in 1960 was 401 fish on August 3 (table 3). In 1960 peak movement of chinook salmon (jacks included) occurred on August 3, when 516 fish were counted through the fishways.

Tables 4 and 5 show semimonthly totals of number and percentage of chinook salmon counted through each fish ladder in 1960.

Data pertaining to chinook salmon daily counts are contained in tables 6-11.

Chinook Salmon Jacks

Some chinook salmon return from the ocean during the year following their seaward migration and are referred to as "jacks." These fish are predominantly males and are smaller than the average. It has been determined at Rock Island Dam that up to June 30 of each year jacks rarely, if ever, exceed 18 inches in length, while the balance of the fish appreciably exceed that length. Likewise, from July 1 to the end of the season jacks rarely. if ever, exceed 22 inches in length. Consequently, jacks at Rock Island Dam are identified by considering all chinook salmon 18 inches or less in length prior to July 1 as jacks, and all chinook salmon 22 inches or less in length subsequent to June 30 as jacks. Monthly totals of jacks counted in 1960 are given in table 2. In 1960, the maximum day's count of chinook salmon jacks, 128, occurred on August 10 (table 3). The 5.082 fish recorded as jacks constitute 19.1 percent of the total 1960 chinook salmon run

Data pertaining to semimonthly counts of chinook salmon jacks utilizing each fish ladder at Rock Island Dam in 1960 are given in table 5.

Sockeye Salmon, Oncorhynchus nerka (blueback or red)

The sockeye salmon count of 60,341 for 1960 was greater than the 27-year mean of 53,092 (table 1). In 1960, peak of the run was reached on July 19, when 3,524 fish were counted through the fishway at Rock Island Dam.

In recent years attention has been drawn to the many small sockeye salmon at Rock Island Dam. During the 1960 counting period sockeye salmon under 16 inches in length were enumerated as small fish. Number of sockeye salmon recorded as "small" was 6,335 (10.5 percent).

Monthly totals of sockeye salmon counted in 1960 are given in table 2.

Data pertaining to sockeye salmon daily counts are contained in tables 8-11.

Tables 12 and 13 show semimonthly totals of number and percentage of sockeye salmon ascending each fishway. Of the sockeye salmon passing Rock Island Dam in 1960, 61.52 percent ascended the left ladder, while 22.36 and 16.11 percent ascended the middle and right ladders, respectively.

Coho Salmon, Oncorhynchus kisutch (silver)

The coho salmon count of 94 in 1960 was greater than the 27-year mean of 63 and is the sixth highest count recorded at Rock Island Dam for this species (table 1). Monthly totals of coho salmon counted in 1960 are given in table 2. Maximum day's count in 1960 of 11 fish occurred on September 24. Daily counts of coho salmon passing the dam are given in tables 10 and 11.

Steelhead Trout, Salmo gairdneri

The steelhead trout count of 6,226 in 1960 was higher than those of the preceding 4 years

¹Zimmer, Paul D., Clifton C. Davidson, and Floyd S. Anders. 1961. Annual fish passage report, Rock Island Dam, 1959. U.S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 394, p. 1-14.

and is well above the 27-year mean of 2,946 (table 1). Monthly totals of steelhead trout counted are given in table 2.

Maximum day's count in 1960 was 198 on September 20 (table 3).

Additional data pertaining to steelhead trout daily counts are contained in tables 6-11.

Semimonthly totals of number and percentage of steelhead trout ascending each fish ladder are given in table 14.

Miscellaneous Fish

In 1960, enumeration was made of species of fish other than salmon and steelhead trout passing Rock Island Dam. Data pertaining to these fish are given in tables 15-20. No claims are made as to complete accuracy of identification of these fish. It is felt, however, that the degree of accuracy is consistent with that maintained at other dams on the Columbia River and as such may be used as a rough index of abundance of these fish. In 1960. approximately 150,660 fish other than salmon and steelhead trout passed Rock Island Dam. Species of fish included are: largescale sucker, Catostomus macrocheilus Girard: longnose sucker, Catostomus catostomus (Forster); squawfish, Ptychocheilus oregonense (Richardson); Rocky Mountain whitefish, Prosopium williamsoni (Girard): Columbia River chub, Mylocheilus caurinus (Richardson): chiselmouth, Acrocheilus alutaceus Agassiz and Pickering; carp, Cyprinus carpio Linnaeus; Dolly Varden trout, Salvelinus malma (Walbaum); and rainbow trout, Salmo gairdneri Richardson.

WEATHER AND RIVER DISCHARGE DATA

Headwater and tailwater elevations are plotted on figures 1 and 2, respectively. Water and air temperatures were taken by pocket thermometer. Water temperatures given are average of morning and afternoon surface readings. Daily records of weather conditions and stream flows are shown in tables 6-11. Daily river discharge data are plotted in figure 3.




Figure 1.--Headwater elevations, Rock Island Dam, May 2-to October 29, 1960.




Figure 2.--Tailwater elevations, Rock Island Dam, May 2 to October 29, 1960.

ACTIVITIES AND OBSERVATIONS

Arrival time of the first chinook salmon at Rock Island Dam in 1960 was 15 days earlier than in 1959. In spite of this early arrival of fish, the peak day's movement of chinook salmon occurred on August 3, 70 days later than in 1959.




Figure 3.--Daily river discharge, Rock Island Dam, May 2 to October 29, 1960.

There were no dewaterings necessary of middle and right bank fishways during 1960. The left bank fishway was dewatered twice as follows: (1) April 28, to install special weir for electronic fish counting experiments; and (2) November 11 and 12, to remove special weir.

Electronic fish counting experiments began on July 21 and continued through August 5.

Broken guide rails prevented operation of crest gate number 37, thereby eliminating use of this gate to add attraction flow near the right bank ladder.

In 1960, six chinook and one sockeye salmon bearing Fish Commission of Oregon colored tags were recorded through the fishways at Rock Island Dam.

SUMMARY

1. Total count of salmon and steelhead trout at Rock Island Dam was 93,211 in 1960. This was less than the 1959 count of 99,959 but exceeded the 27-year mean of 70,983.

- 2. Yearly total counts of salmon and steel-head trout passing Rock Island Dam during the period 1933-60, inclusive, are given in table 1.
- 3. The chinook salmon count of 26,550 in 1960 exceeded the total for this species in 1959 and was slightly greater than half the peak year of 1957. In 1960, 5,082 jacks were recorded, representing 19.1 percent of that year's count.
- 4. The sockeye salmon count of 60,341 in 1960 was less than in 1959 but exceeded the 27-year mean of 52,824. Small sockeye under 16 inches in length comprised 10.5 percent of the run. A greater percentage of sockeye utilized the left bank ladder than used either the middle or right bank ladders.
- 5. Few coho salmon have appeared at Rock Island Dam in the period 1933-60. Greatest count of this species of salmon occurred in 1947, when 229 fish were recorded. The 1960 count of 94 was less than that of 1959 but exceeded the 27-year mean of 60.
- 6. The steelhead trout count of 6,226 in 1960 exceeded all previous records and was well above the 27-year mean of 2,946.
- 7. Although no quantitative data are available, it was the impression of the fishway superintendent and the counters that the incidence of injured fish was probably less than half that observed in 1959.
- 8. Fish other than salmon and steelhead trout passing Rock Island Dam in 1960 totalled approximately 150,660.
- 9. Fish counting was begun on May 2 and ended October 29.
- 10. Maximum number of salmonids counted In 1 day during the 1960 season was 3,574 on July 19.

Table 1.--Annual counts of salmon and steelhead trout at Rock Island Dam, 1933-60.

	Chinook	Steelhead	Sockeye	Coho	
Year	salmon	trout	salmon	salmon	Total
1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1944 1945 1946 1946 1951 1952 1953 1954 1955 1956 1957 1958 1959	5,668 6,4821/ 16,310 7,3961/ 5,133 5,803 11,206 9,492 2,571 6,814 11,145 3,375 5,696 9,992 11,766 7,083 12,353 10,348 18,752 20,121 31,080 33,283 25,658 25,658 25,085 50,713 32,457	1,055 583 5,412 2,360 2,214 2,400 5,427 5,550 3,561 3,586 2,249 1,329 1,121 1,761 2,115 2,360 2,470 1,852 3,121 2,883 4,001 5,407 3,141 1,540 3,927 3,970	40,737 2,227 14,013 16,501 15,087 17,123 19,591 26,894 949 16,282 17,665 4,932 7,142 45,029 79,834 84,184 18,600 50,134 101,826 114,349 151,747 91,234 155,055 92,443 71,621 98,695	182 69 10 0 58 78 13 29 1 22 186 166 32 29 29 40 72 8 749 44 32 29 29 29 40 78 40 44 49 29 29 29 29 29 29 29 29 29 29 29 29 29	47,642 9,361 35,745 26,266 22,492 25,404 36,237 41,938 7,110 26,683 31,081 9,822 14,125 56,814 93,944 93,946 123,707 137,380 186,868 129,968 183,893 119,097 126,288 135,182
1959 ² / 1960	23,352 26,550	4,138 6,226	72,351 60,341	118 94	99,959 93,211

Table 2.--Monthly totals of all anadromous fish counted at Rock Island Dam, 1960.

Species	May	June	July	August	Sept.	Oct.	Total
Chinook (except jacks) Chinook (jacks) Steelhead Sockeye (large) Sockeye (small) Coho	5,373 624 752 0 0	3,606 602 32 112 27 0	4,428 536 74 44,109 4,923 0	4,367 1,325 1,327 9,255 1,316 0	1,783 2,992 528	624 212 1,049 2 0 42	21,468 5,082 6,226 54,006 6,335 94
Total fish	6,749	4,379	54,070	17,590	8,494	1,929	93,211

^{1/} Incomplete count. 2/ Counts for the period from May 4 through July 15, 1959, were computed by extrapolating sample counts.

Table 3.--Maximum daily counts, salmon and steelhead, Rock Island Dam, 1960.

Species	Date	Number of fish
Chinook (except jacks)	Aug. 3	401
Chinook (jacks)	Aug. 10	128
Steelhead	Sept. 20	198
Sockeye (large)	July 19	3,123
Sockeye (small)	July 15	354
Coho	Sept. 24	17

Table 4.--Number and percent of chinook salmon counted over each fish ladder, Rock Island Dam, 1960 (jacks not included).

		Left	ladder	Middle	ladder	Right	ladder	1
Date		Number	Percent	Number	Percent	Number	Percent	Total
May	2-15	702	40.67	188	10.89	836	48.44	1,726
May	16-31	1,301	35.67	1,847	50.65	499	13.68	3,647
June	1-15	502	37.30	799	59.36	45	3.34	1,346
June	16-30	1,214	53.72	827	36.59	219	9.69	2,260
July	1-15	2,036	79.41	288	11.23	240	9.36	2,564
July	16-31	1,524	81.76	146	7.83	194	10.41	1,864
Aug.	1-15	2,595	86.90	79	2.65	312	10.45	2,986
Aug.	16-31	1,079	78.13	43	3.11	259	18.76	1,381
Sept.	1-15	1,333	85.61	28	1.80	196	12.59	1,557
Sept.	16-30	1,234	81.56	32	2.11	247	16.33	1,513
Oct.	1-15	427	86.97	17	3.46	47	9.57	491
Oct.	16-29	110	82.71	5	3.76	18	13.53	133
Total		14,057	65.48	4,299	20.02	3,112	14.50	21,468

Table 5.--Number and percent of chinook salmon jacks counted over each fish ladder, Rock Island Dam, 1960.

	Left ladder Middle ladder Right ladder							
Date		Number	Percent	Number	Percent	Number	Percent	Total
May	2-15	56	39.16	26	18.18	61	42.66	143
May	16-31	190	39.50	202	42.00	89	18.50	481
June	1-15	128	46.38	1.26	45.65	22	7.97	276
June	16-30	149	45.71	128	39.26	49	15.03	326
July	1-15	209	77.41	29	10.74	32	11.85	270
July	16-31	230	86.47	9	3.38	27	10.15	266
Aug.	1-15	724	87.97	14	1.70	85	10.33	823
Aug.	16-31	411	81.87	18	3. 59	73	14.54	502
Sept.	1-15	916	80.92	25	2.21	191	16. 87	1,132
Sept.	16-30	487	74.81	32	4.92	132	20.27	651
Oct.	1-15	120	81.08	7	4.73	21.	14.19	148
Oct.	16-29	51	79.69	2	3.12	11	17.19	64
Total		3,671	72.24	618	12.16	793	15.60	5,082

Table 6. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, May 1960.

Total	P
Steelhead	- 8444458346899448894989949899999999999999
Coho	100000000000000000000000000000000000000
Sockeye	100000000000000000000000000000000000000
Chinook	1004 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Stream flow (c.f.s.)	133, 600 133, 600 133, 600 123, 300 123, 300 125, 700 125, 700 125, 700 125, 100 125, 100 125, 800 125, 800 125
$\frac{\texttt{Water}}{\texttt{temperature} 1}$	77.7.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
Air temperatures Max. Min.	りがあられるのです。 というないないでは、 というないない。 というない。 といっと、 というない。 といると。 といる。 といる
Air temp Max.	144336666666666666666666666666666666666
Date	L ∪ ∪ ∪ + √ 0

Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit. न

Table 7..--Daily temperatures, stream flow, and fish count data, Rock Island Dam, June 1960.

	Total	E4884438664688468464864884884848484848484
	Steelhead	40111011001001000100000000000000000000
	Coho	000000000000000000000000000000000000000
,	Sockeye	000000000000000000000000000000000000000
	Chinook	23 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Stream flow	(C.I.S.)	23.4, 700 23.7,
Water 1/	temperature_	1. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
Air temperatures	Min.	\$
Air temp	Max.	888884588888888888888888888888888888888
	Date	June 1

Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.

ना

Table 8. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, July 1960.

Total	
Steelhead	00000000000000000000000000000000000000
e Coho	000000000000000000000000000000000000000
Sockey	11,0,0,0,1,0,0,0,0,0,0,0,1,1,1,1,1,1,1,
Chinook	286 256 256 233 333 233 256 256 256 256 256 256 256 256 256 256
Stream flow (c.f.s.)	887, 700 302, 900 302, 900 302, 900 311, 600 311, 600 311, 600 891, 600 891, 600 874, 900 874, 900 874, 900 874, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900 876, 900
ures Water 1	######################################
151.31	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Air	~4~88888888884 ~4~888888888884 ~4~88888888
Date	448889884

 \perp Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.

Daily temperatures, stream flow, and fish count data, Rock Island Dam, August 1960. Table 9.

•		Total	1, 1, 1, 3452 9,042 9,045 9,045 9,045 9,048 9	
August 1300		Steelhead	025385585858855888558887955855858588	
und Dia		Coho	000000000000000000000000000000000000000	
ROCK TELEMO DAMP		Sockeye	1, 164 7167 767 758 758 758 758 81 829 138 138 138 138 138 138 138 138 138 138	
count date,		Chinook	193 160 160 226 226 226 332 332 332 332 332 110 110 110 110 110 110 110 110 110 11	
and Ilsh	Stream flow	(c.f.s.)	151, 800 153, 800 153, 800 153, 800 153, 800 143, 800 144, 800 144, 800 123, 900 123, 900 101, 800 101, 800 101	
Table 9Daily temperatures, stream ILOW,	Water 1/	temperature-	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Ly tempers	eratures	Min.	L08686666666666666666666666666666666666	
y Dai	Air temperatures	Max.	\$	
Table		Date	- 1 0 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	

 $\underline{1}/$ Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.

Table 10.--Daily temperatures, stream flow, and fish count data, Rock Island Dam, September 1960.

Total	286 272 283 283 285 285 285 285 285 285 285 285 285 285
Steelhead	\$\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Coho	000mu00000000000000mu1dm4m44
Sockeye	0000PW 88884 PH 088840000
Chinook	883 1175 1175 1175 1175 1175 1175 1175 117
Stream flow (c.f.s.)	# 6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,
Water temperaturel/	%%%%%%;%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
Air temperatures Max. Min.	% - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
Air temm Max.	\$
Date	Sept. 19 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit. ना

Table Ll.---Daily temperatures, stream flow, and fish count data, Rock Island Dam, October 1960.

Total	\$8485856588885954888888888888888888888888
Steelhead	\$\$6734498548998998989898989898989898989898989
Coho	au4 ←wv0000uuv0uu0u0000uu0u00
Sockeye	000000000000000000000000000000000000000
Chinook	%4886774422249882498234074073889747
Stream flow (c.f.s.)	######################################
Water temperature1/	44448888888888888888888888888888888888
temperatures	33 E E E E E E E E E E E E E E E E E E
Air temp Max.	252555555555555555555555555555555555555
Date	00 t

Surface temperatures, taken with pocket thermometer, are given in degrees Fahrenheit. Ţ

Table 12.--Number and percent of sockeye salmon (large) counted over each ladder, Rock Island Dam, 1960.

	Left ladder		Middle ladder		Right ladder		
Date	Number	Percent	Number	Percent	Number	Percent	Total
May 2-15 May 16-31 June 1-15 June 16-30 July 1-15 July 16-30 Aug. 1-15 Aug. 16-31 Sept. 1-15 Sept. 16-30 Oct. 1-15 Oct. 16-29	0 0 0 73 10,054 16,108 5,854 1,359 330 42 1	0 0 0 65.18 56.25 61.40 77.46 80.04 68.89 85.72 100.00 100.00	0 0 0 34 5,171 5,608 566 50 57 6 0	0 0 0 30.36 28.93 21.37 7.49 2.94 11.90 12.24 0	0 0 0 5 2,648 4,520 1,137 289 92 1 0	0 0 0 4.46 14.82 17.23 15.05 17.02 19.21 2.04 0	0 0 0 112 17,873 26,236 7,557 1,698 479 49
Total	33,822	62.63	11,492	21.28	8,692	16.09	54,006

Table 13.--Number and percent of sockeye salmon (small) counted over each ladder, Rock Island Dam, 1960.

	Left ladder		Middle ladder		Right ladder		
Date	Number	Percent	Number	Percent	Number	Percent	Total
May 2-15 May 16-31 June 1-15 June 16-30 July 1-15 July 16-31 Aug. 16-31 Sept. 1-15 Sept. 1-15 Sept. 16-30 Oct. 1-15 Oct. 16-29	0 0 0 8 1,068 1,211 750 226 37 1 0	0 0 0 29.63 46.35 46.24 71.63 84.01 54.41 100.00 0	0 0 0 18 964 882 119 11 9 0	0 0 0 66.67 41.84 33.68 11.37 4.09 13.24 0 0	0 0 0 1 272 526 178 32 22 0 0	0 0 0 3.70 11.81 20.08 17.00 11.90 32.35 0	0 0 0 27 2,304 2,619 1,047 269 68 1 0
Total	3,301	52.11	2,003	31.62	1,031	16.27	6,335

Table 14.--Number and percent of steelhead trout counted over each ladder, Rock Island Dam, 1960.

			ladder	Middle	ladder	Right	ladder	
Date		Number	Percent	Number	Percent	Number	Percent	Total
May	2 - 15	199	39.96	72	14.46	227	45.58	498
May	16-31	146	57.48	62	24.41	46	18.11	254
June	1-15	6	24.00	9	36.00	1.0	40.00	25
June	16-30	6	85.71	1	14.29	0	0	7
July	1-15	3	100.00	0	0	0	0	3
July	16-31	56	78.87	1	1.41	14	19.72	71
Aug.	1-15	615	87.86	16	2.28	69	9.86	700
Aug.	16-31	496	79.11	15	2•39	116	18.50	627
Sept.	1-15	896	74.67	81	6.75	223	18.58	1,200
Sept.	16-30	1,388	77•45	89	4.97	31.5	17.58	1,792
Oct.	1-15	518	76.29	78	11.49	83	12.22	679
Oct.	16-29	303	81.89	27	7.30	40	10.81	370
Total		4,632	74.40	451	7.24	1,143	18.36	6,226

Table 15.--Miscellaneous fish count, Rock Island Dam, May 1960.

Total	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	9,646
Other 1		0
Rainbow trout	000000000000000000000000000000000000	3
Dolly Varden	100000000000000000000000000000000000000	0
Chub	000 M00000000000000000000000000000000	2
Whitefish	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1,929
Squawfish	- Lung on the philosoph of the philosoph	909
Sucker	1, 855 835 1, 835 1, 83	7,206
Date	48888889898988888888888888888888888888	Total

1/ Carp, lamprey, etc.

Table 16. -- Miscellaneous fish count, Rock Island Dam, June 1960.

	Total	1, 2, 2, 2, 2, 1, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	40,526
a ryw.	Other ¹ /	← NO -10 ← NO -10 NO O O O O O O O O O O O O O O O O O O	58
INCH TETATIO DAMP 1 MILE TACK	Rainbow trout	000000000000000000000000000000000000000	0
	Dolly Varden	000000000000000000000000000000000000000	0
comp	Chub	127 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	۲۲۲
TOTA COOK	Whitefish	\$4.4888834~158888101437~2872988	755
	Squawfish	25.2 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2	3,7,7
	Sucker	1, 0021 1, 0034 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	(2: (7)
	Date	June 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

1/ Carp, lamprey, etc.

Table 17. -- Miscellaneous fish count, Rock Island Dam, July 1960.

Total	1, 988 974 987 987 987 987 987 988 987 988 987 988 988	23,088
Other ¹	~3~83347350375988482848284 \$3	1,180
Rainbow	000000000000000000000000000000000000000	0
Dolly Varden	000000000000000000000000000000000000000	0
Chub	84188689848484848484888484888688	1,592
Whitefish	นีนี <i>ข</i> พฒีมีนพ๐๐๐๐५๐๐๐๐๐๐๓๐๐๓๐๐	611
Squawfish	1100478845E8877E788E546E546E548E54E	2,750
Sucker	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	17,447
Date	19888888888888888888888888888888888888	Total

1/ Carp, lamprey, etc.

Table 18.--Miscellaneous fish count, Rock Island Dam, August 1960.

Total	1,1,1, 1,1, 1,0,0,0,0,0,0,0,0,0,0,0,0,0,	22,543
Other ¹ /	888728878622898389892858988988988988988988988988988988888888	2,000
Rainbow	000000000000000000000000000000000000000	0
Dolly Varden	000000000000000000000000000000000000000	0
Chub	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1,423
Whitefish	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	338
Squawfish	4 5 5 5 4 5 4 5 6 5 6 5 6 5 6 5 6 5 6 5	1,286
Sucker	1, 266 963 117 115 115 119 119 119 119 119 119 119 119	17,496
Date		Total

1/ Carp, lamprey, etc.

Table 19. -- Miscellaneous fish count, Rock Island Dam, September 1960.

Total	9814 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28,557
Other ¹ /	%\$\$\$\$\n8\$\n8\n8\n8\n8\n8\n8\n8\n8\n9\n9\n9\n9\n9\n9\n9\n9\n9\n9\n9\n9\n9\	822
Rainbow	000010000000000000000000000000000000000	П
Dolly Varden	000000000000000000000000000000000000000	0
Chub	1,20,75,75,75,75,75,75,75,75,75,75,75,75,75,	1,522
Whitefish	28887888888888888888888888888888888888	2,792
Squawfish	1088482 608 608 608 608 608 608 608 608 608 608	2,314
Sucker	688 667 667 667 668 668 668 668 668 668	21,106
Date	Se pt 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Total

/ Carp, lamprey, etc.

Table 20. -- Miscellaneous fish count, Rock Island Dam, October 1960.

Total	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	27,269
$^{\prime}$	JuJJango-tonnnoorouunnnnoooot	1.1
Rainbow trout	000000000000000000000000000000000000000	-1
Dolly Varden	000000000000000000000000000000000000000	0
Chub	0445myo86nnooooooooooooooo	263
Whitefish-	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	17,712
Squawfish	\$\f\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	932
Sucker	949 6777 787 115 115 1175 1175 1175 1175 1175	8,284
Date	00 100 100 100 100 100 100 100 100 100	Total

1/ Carp, lamprey, etc.



